

**To:** Marilyn Smith[m.smith@erllc.com]; Sandoval, Joni[Sandoval.Joni@epa.gov]  
**From:** Braun, Richard  
**Sent:** Mon 8/10/2015 1:43:38 PM  
**Subject:** RE: Gold King - 1 of multiple

Hi Marilyn,

I can't open the first attachment, the one that ends in .bac; is it possible for you to send in another format like .pdf or .docx?

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov

**From:** Marilyn Smith [mailto:m.smith@erllc.com]  
**Sent:** Thursday, August 06, 2015 9:01 PM  
**To:** Sandoval, Joni; Braun, Richard  
**Subject:** Gold King - 1 of multiple

Joni & Rich:

Due to the size restrictions of your server this will be sent in parts. I'm unsure as to the limitation of your system so I will notify you at the end point/final.

First is the draft 1900-55s.

Due to the limited activity so far on the site RCMS is still in draft. Therefore the FCA sent the back-up only. Attached is the pertinent data from personnel, OFC and the overall IOL.

Limited excavation did not begin until 8/4/15 with the incident occurring 8/5/14.

**From:** Sandoval, Joni [<mailto:Sandoval.Joni@epa.gov>]  
**Sent:** Thursday, August 06, 2015 5:09 PM  
**To:** Marilyn Smith <[m.smith@erllc.com](mailto:m.smith@erllc.com)>  
**Cc:** Braun, Richard <[Braun.Richard@epa.gov](mailto:Braun.Richard@epa.gov)>  
**Subject:** FW: GK Draft Work Plan

I'm sorry, the list keeps growing. I now need ASAP:

- Final workplan
- 1900-55s
- HASP
- Any sub work plans or engineering specs

Approved copies are preferred if possible. Thank you in advance.

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.